Index of Authors

ALBERTI, K. G. M. M. *see* BLACKSHEAR, P. J. 353–362

ALLAN, D. & MICHELL, R. H. Enhanced synthesis *de novo* of phosphatidylinositol in lymphocytes treated with cationic amphiphilic drugs 471–478

ANDERSSON, G. M. & VON DER DECKEN, A. Deoxyribonucleic acid-dependent ribonucleic acid polymerase activity in rat liver after protein restriction 49–56

ASHCROFT, J. R. & HADDOCK, B. A. Synthesis of alternative membrane-bound redox carriers during aerobic growth of *Escherichia coli* in the presence of potassium cyanide 349–352

ASHWORTH, J. M. *see* EVERY, D. 161–167, 169–177

BADAWY, A. A.-B. & EVANS, M. The effects of acute and chronic nicotine hydrogen (+)-tartrate administration and subsequent withdrawal on rat liver tryptophan pyrrolase activity and their comparison with those of morphine, phenobarbitone and ethanol 425–432

BADENOCH-JONES, P. & BUTTERY, P. J. The effects of adenine nucleotides and guanine nucleotides on urate synthesis *de novo* by isolated chick liver and kidney cells 599–601

BAKER, R. V. *see* VILHARDT, H. 57–65

BARLOW, S. D. & ORD, M. G. Thymidine transport in phytohaemagglutinin-stimulated pig lymphocytes 295–302

BARRETT, M. C. & DAWSON, A. P. Essentiality of ubiquinone for choline oxidation in rat liver mitochondria 595–597

BARRITT, G. J. *see* FAYLE, D. R. H. 527–531

BASHFORD, C. L., CASEY, R. P., RADDA, G. K. & RITCHIE, G. A. The effect of uncouplers on catecholamine incorporation by vesicles of chromaffin granules 153–155

BEECHEY, R. B., HUBBARD, S. A., LINNETT, P. E., MITCHELL, A. D. & MUNN, E. A. A simple and rapid method for the preparation of adenosine triphosphatase from submitochondrial particles 533–537

BERMAN, M. C., IVANETICH, K. M. & KENCH, J. E. The effects of halothane on hepatic microsomal electron transfer 179–186

BHALLA, A. K. *see* HARWOOD, R. 129–138

BLACKSHEAR, P. J., HOLLOWAY, P. A. H. & ALBERTI, K. G. M. M. The effects of inhibition of gluconeogenesis on ketogenesis in starved and diabetic rats 353–362

BLASS, J. P. *see* GIBSON, G. E. 17–23

BOOTH, R. *see* GREGORY, K. W. 337–339

BORN, G. V. R. *see* SZABADOS, L. 335–336

BOWLEY, M. *see* BRINDLEY, D. N. 461–469

BRADBEER, J. W. *see* GREGORY, P. 433–438

BRANDT, K. D. *see* PALMOSKI, M. J. 145–147

BRENNAN, P. J. *see* HACKETT, J. A. 253–258

BRETT, C. T. & NORTHCOTE, D. H. The formation of oligoglucans linked to lipid during synthesis of β-glucan by characterized membrane fractions isolated from peas 107–117

BRETT, M. J. *see* ROBINSON, H. C. 25–34

BRINDLEY, D. N. & BOWLEY, M. Drugs affecting the synthesis of glycerides and phospholipids in rat liver. The effects of clofibrate, halofenate, fenfluramine, amphetamine, cinchocaine, chlorpromazine, demethylimipramine, mepyramine and some of their derivatives 461–469

BROOKS, D. E. & MCINTOSH, J. E. A. Turnover of carnitine by rat tissues 439–445

BUSE, M. G., JURSINIC, S. & REID, S. S. Regulation of branched-chain amino acid oxidation in isolated muscles, nerves and aortas of rats 363–374

BUTTERY, P. J. *see* BADENOCH-JONES P. 599–601

BYGRAVE, F. L. *see* FAYLE, D. R. H. 527–531

CASEY, R. P. *see* BASHFORD, C. L. 153–155

CATER, B. R., TRIVEDI, P. & HALLINAN, T. Inhibition of glucose 6-phosphatase by pure and impure C-type phospholipases. Reactivation by phospholipid dispersions and protection by serum albumin 279–294

CHAVIN, S. I., JOHNSON, S. M. & HOLLIMAN, A. Plasma-membrane-associated immunoglobulins and other polypeptides of pig mesenteric node lymphocytes 417–423

COLBY, J. & ZATMAN, L. J. Enzymological aspects of the pathways for trimethylamine oxidation and C_1 assimilation in obligate methylotrophs and restricted facultative methylotrophs 513–520

COLBY, J. & ZATMAN, L. J. Tricarboxylic acid-cycle and related enzymes in restricted facultative methylotrophs 505–511

COLLINS, N. & MERRETT, M. J. The localization of glycollate-pathway enzymes in *Euglena* 321–328

CURTIS, C. G. *see* POWELL, G. M. 303–307

DAVIES, D. D. *see* HUMPHREY, T. J. 119–127

DAWSON, A. P. *see* BARRETT, M. C. 595–597; GAINS, N. 157–160

DENTON, R. M. *see* HALESTRAP, A. P. 97–106

DILS, R. *see* SPEAKE, B. K. 309–320

ENSER, M. Desaturation of stearic acid by liver and adipose tissue from obese–hyperglycaemic mice (*ob*/*ob*) 551–555

EVANS, M. *see* BADAWY, A. A.-B. 425–432

EVANS, W. C. *see* RHO, E. M. 11–15; WILLIAMS, R. J. 1–10

EVERY, D. & ASHWORTH, J. M. Rates of accumulation of glycosidase activities during growth and differentiation of *Dictyostelium discoideum* 161–167

EVERY, D. & ASHWORTH, J. M. Rates of degradation and synthesis of glycosidases *de novo* during growth and differentiation of *Dictyostelium discoideum* 169–177

FAYLE, D. R. H., BARRITT, G. J. & BYGRAVE, F. L. The effect of butacaine on adenine nucleotide binding and translocation in rat liver mitochondria 527–531

FRIEDEN, E. *see* JAMES, G. T. 341–343

FRITZ, P. J. *see* LIU, D. K. 67–76

GAINS, N. & DAWSON, A. P. 8-Anilinonaphthalene-1-sulphonate interaction with whole and disrupted mitochondria: a re-evaluation of the use of double-reciprocal plots in the derivation of binding parameters for fluorescent probes binding to mitochondrial membranes 157–160
GALLAGHER, J. T. & KENT, P. W. Structure and metabolism of glycoproteins and glycosaminoglycans secreted by organ cultures of rabbit trachea 187–196
GARLAND, P. B. *see* KEMP, M. B. 329–333
GIBSON, G. E., JOPE, R. & BLASS, J. P. Decreased synthesis of acetylcholine accompanying impaired oxidation of pyruvic acid in rat brain minces 17–23
GIRARD, J. R. & GUILLET, I. Glucose turnover rate in newborn rats 345–347
GOLDMAN, M. *see* ORLOWSKI, M. 259–268
GRANT, M. E. *see* HARWOOD, R. 129–138
GREEN, I. C. *see* MONTAGUE, W. 237–243
GREGORY, K. W. & BOOTH, R. Specificity of the effect of dietary cholesterol on rat liver microsomal 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity 337–339
GREGORY, P. & BRADBEER, J. W. Plastid development in primary leaves of *Phaseolus vulgaris*. Development of plastid adenosine triphosphatase activity during greening 433–438
GREGORY, R. P. F. Evidence that circularly dichroic chlorophyll forms *a*-682 and *a*-710 are oriented at right angles to the thylakoid membranes of whole chloroplasts, and that the circular dichroism is light-dependent 487–497
GUILLET, I. *see* GIRARD, J. R. 345–347
GULLIS, R. J. & ROWE, C. E. The stimulation by synaptic transmitters of the incorporation of oleate into the phospholipid of synaptic membranes 557–565
GULLIS, R. J. & ROWE, C. E. The stimulation by transmitter substances and putative transmitter substances of the net activity of phospholipase A2 of synaptic membranes of cortex of guinea-pig brain 197–208
GULLIS, R. J. & ROWE, C. E. The stimulation of the phospholipase A2–acylation system of synaptic membranes of brain by cyclic nucleotides 567–581

HACKETT, J. A. & BRENNAN, P. J. The mannophosphoinositides of *Corynebacterium aquaticum* 253–258
HADDOCK, B. A. *see* ASHCROFT, J. R. 349–352; KEMP, M. B. 329–333
HALESTRAP, A. P. The mitochondrial pyruvate carrier. Kinetics and specificity for substrates and inhibitors 85–96
HALESTRAP, A. P. & DENTON, R. M. The specificity and metabolic implications of the inhibition of pyruvate transport in isolated mitochondria and intact tissue preparations by α-cyano-4-hydroxycinnamate and related compounds 97–106
HALLINAN, T. *see* CATER, B. R. 279–294
HANSFORD, R. G. & JOHNSON, R. N. The nature and control of the tricarboxylate cycle in beetle flight muscle 389–401
HARDING, J. W., JR., PYERITZ, E. A., MORRIS, H. P. & WHITE, H. B., III. Proportional activities of glycerol kinase and glycerol 3-phosphate dehydrogenase in rat hepatomas 545–550
HARWOOD, R., BHALLA, A. K., GRANT, M. E. & JACKSON, D. S. The synthesis and secretion of cartilage procollagen 129–138
HAUHART, R. E. *see* THURSTON, J. H. 149–151
HEMMING, F. W. *see* PALAMARCZYK, G. 245–251
HOLLIMAN, A. *see* CHAVIN, S. I. 417–423
HOLLOWAY, P. A. H. *see* BLACKSHEAR, P. J. 353–362
HOPE, D. B. *see* VILHARDT, H. 57–65
HOWELL, S. L. *see* MONTAGUE, W. 237–243
HUBBARD, S. A. *see* BEECHEY, R. B. 533–537
HUDSON, A. M. & MCMARTIN, C. An investigation of the involvement of adenosine 3′:5′-cyclic monophosphate in steroidogenesis by using isolated adrenal cell column perfusion 539–544
HUMPHREY, T. J. & DAVIES, D. D. A new method for the measurement of protein turnover 119–127

ITO, M. *see* TAKEUCHI, N. 499–503
IVANETICH, K. M. *see* BERMAN, M. C. 179–186

JACKSON, D. S. *see* HARWOOD, R. 129–138
JAMES, G. T. & FRIEDEN, E. Iron removal from transferrin by a cell-free amphibian system 341–343
JOHNSON, R. N. *see* HANSFORD, R. G. 389–401
JOHNSON, S. M. *see* CHAVIN, S. I. 417–423
JONES, E. M. *see* THURSTON, J. H. 149–151
JONES, J. G. *see* POWELL, G. M. 303–307
JONES, L. M. & MICHELL, R. H. The relationship of calcium to receptor-controlled stimulation of phosphatidylinositol turnover. Effects of acetylcholine, adrenaline, calcium ions, cinchocaine and a bivalent cation ionophore on rat parotid-gland fragments 479–485
JOPE, R. *see* GIBSON, G. E. 17–23
JUNGAS, R. L. *see* MUKHERJEE, C. 229–235
JURSINIC, S. *see* BUSE, M. G. 363–374

KEMP, M. B., HADDOCK, B. A. & GARLAND, P. B. Synthesis and sidedness of membrane-bound respiratory nitrate reductase (EC 1.7.99.4) in *Escherichia coli* lacking cytochromes 329–333
KENCH, J. E. *see* BERMAN, M. C. 179–186
KENT, P. W. *see* GALLAGHER, J. T. 187–196
KLEIHUES, P. *see* MARGISON, G. P. 521–525
KUHN, N. J. & WHITE, A. The topography of lactose synthesis 77–84

LANGLEY, O. K. Sialic acid in crude myelin fractions from rat brain 375–380
LINNETT, P. E. *see* BEECHEY, R. B. 533–537
LIU, D. K., WILLIAMS, G. H. & FRITZ, P. J. Alkaline ribonuclease and ribonuclease inhibitor in mammary gland during the lactation cycle and in the R3230AC mammary tumour 67–76
LOWTHER, D. A. *see* ROBINSON, H. C. 25–34

MARGISON, G. P. & KLEIHUES, P. Chemical carcinogenesis in the nervous system. Preferential accumulation of O^6-methylguanine in rat brain deoxyribonucleic acid during repetitive administration of *N*-methyl-*N*-nitrosourea 521–525
MARRIOTT, K. M. & NORTHCOTE, D. H. The breakdown of lipid reserves in the endosperm of germinating castor beans 139–144

MATTIOLI, A. *see* SPERTI, S. 447–451
MAYER, R. J. *see* SPEAKE, B. K. 309–320
MCCULLOCH, E. A. *see* PRICE, G. B. 209–217
MCINTOSH, J. E. A. *see* BROOKS, D. E. 439–445
MCMARTIN, C. *see* HUDSON, A. M. 539–544
MERITS, I. The metabolism of labelled hexadecyl sulphate salts in the rat, dog and human 219–228
MERRETT, M. J. *see* COLLINS, N. 321–328
MESTER, L. *see* SZABADOS, L. 335–336
MICHAL, F. *see* SZABADOS, L. 335–336
MICHELL, R. H. *see* ALLAN, D. 471–478; JONES, L. M. 479–485
MIRA, F. *see* SHETERLINE, P. 453–459
MITCHELL, A. D. *see* BEECHEY, R. B. 533–537
MONTAGUE, W., HOWELL, S. L. & GREEN, I. C. Insulin release and the microtubular system of the islets of Langerhans. Identification and characterization of tubulin-like protein 237–243
MONTANARO, L. *see* SPERTI, S. 447–451
MORRIS, H. P. *see* HARDING, J. W., JR. 545–550
MOWBRAY, J. A mitochondrial monocarboxylate transporter in rat liver and heart and its possible function in cell control 41–47
MUKHERJEE, C. & JUNGAS, R. L. Activation of pyruvate dehydrogenase in adipose tissue by insulin. Evidence for an effect of insulin on pyruvate dehydrogenase phosphate phosphatase 229–235
MUNN, E. A. *see* BEECHEY, R. B. 533–537

NORTHCOTE, D. H. *see* BRETT, C. T. 107–117; MARRIOTT, K. M. 139–144

OKAYAMA, M. *see* ROBINSON, H. C. 25–34
OLAVESEN, A. H. *see* POWELL, G. M. 303–307
OPIE, L. H. & OWEN, P. Effects of increased mechanical work by isolated perfused rat heart during production or uptake of ketone bodies. Assessment of mitochondrial oxidized to reduced free nicotinamide–adenine dinucleotide ratios and oxaloacetate concentrations 403–415
ORD, M. G. *see* BARLOW, S. D. 295–302
ORLOWSKI, M. & GOLDMAN, M. Inactivation of glucose 6-phosphate dehydrogenase during germination and outgrowth of *Bacillus cereus* T endospores 259–268
OSBORNE, D. J. *see* SEN, S. 381–387
OWEN, P. *see* OPIE, L. H. 403–415

PALAMARCZYK, G. & HEMMING, F. W. The formation of mono-*N*-acetylhexosamine derivatives of dolichol diphosphate by pig liver microsomal fractions 245–251
PALMOSKI, M. J. & BRANDT, K. D. Stimulation of glycosaminoglycan biosynthesis by amyloid fibrils 145–147
PAYNE, P. I. *see* SEN, S. 381–387
POWELL, G. M., JONES, J. G., OLAVESEN, A. H. & CURTIS, C. G. A model system for investigating the biliary excretion of an anion in the rat 303–307
POWIS, G. Effect of a single oral dose of methanol, ethanol and propan-2-ol on the hepatic microsomal metabolism of foreign compounds in the rat 269–277
PRICE, G. B., SENN, J. S., MCCULLOCH, E. A. & TILL, J. E. The isolation and properties of granulocytic colony-stimulating activities from medium conditioned by human peripheral leucocytes 209–217
PYERITZ, E. A. *see* HARDING, J. W., JR. 545–550

RADDA, G. K. *see* BASHFORD, C. L. 153–155
RAMASARMA, T. *see* RANGANATHAN, S. 35–39
RANGANATHAN, S. & RAMASARMA, T. The regulation of the biosynthesis of ubiquinone in the rat 35–39
REID, S. S. *see* BUSE, M. G. 363–374
RHO, E. M. & EVANS, W. C. The aerobic metabolism of cyclohexanecarboxylic acid by *Acinetobacter anitratum* 11–15
RITCHIE, G. A. *see* BASHFORD, C. L. 153–155
ROBINSON, H. C., BRETT, M. J., TRALAGGAN, P. J., LOWTHER, D. A. & OKAYAMA, M. The effect of D-xylose, β-D-xylosides and β-D-galactosides on chondroitin sulphate biosynthesis in embryonic chicken cartilage 25–34
ROWE, C. E. *see* GULLIS, R. J. 197–208, 557–565, 567–581

SCHOFIELD, J. G. *see* SHETERLINE, P. 453–459
SEN, S., PAYNE, P. I. & OSBORNE, D. J. Early ribonucleic acid synthesis during the germination of rye (*Secale cereale*) embryos and the relationship to early protein synthesis 381–387
SENN, J. S. *see* PRICE, G. B. 209–217
SHETERLINE, P., SCHOFIELD, J. G. & MIRA, F. Colchicine binding to bovine anterior pituitary slices and inhibition of growth-hormone release 453–459
SPEAKE, B. K., DILS, R. & MAYER, R. J. Regulation of enzyme turnover during tissue differentiation. Studies on the effects of hormones on the turnover of fatty acid synthetase in rabbit mammary gland in organ culture 309–320
SPERTI, S., MONTANARO, L., MATTIOLI, A. & TESTONI, G. Relationship between elongation factor 1- and elongation factor 2-dependent guanosine triphosphatase activities of ribosomes. Inhibition of both activities by ricin 447–451
SUTER, D. & WEIDEMANN, M. J. Regulation of carbohydrate metabolism in lymphoid tissue. Quantitative aspects of [U-^{14}C]glucose oxidation by rat spleen slices 583–594
SZABADOS, L., MESTER, L., MICHAL, F. & BORN, G. V. R. Accelerated uptake of 5-hydroxytryptamine by human blood platelets enriched in a sialic acid 335–336

TAKEUCHI, N., ITO, M., UCHIDA, K. & YAMAMURA, Y. Effect of modification of thyroid function on cholesterol 7α-hydroxylation in rat liver 499–503
TESTONI, G. *see* SPERTI, S. 447–451
THURSTON, J. H., JONES, E. M. & HAUHART, R. E. Failure of adrenaline to induce hyperglycaemia after fructose injection in young mice 149–151
TILL, J. E. *see* PRICE, G. B. 209–217
TRALAGGAN, P. J. *see* ROBINSON, H. C. 25–34
TRIVEDI, P. *see* CATER, B. R. 279–294

UCHIDA, K. *see* TAKEUCHI, N. 499–503

VILHARDT, H., BAKER, R. V. & HOPE, D. B. Isolation and protein composition of membranes of neurosecretory vesicles and plasma membranes from the neural lobe of the bovine pituitary gland 57–65

VON DER DECKEN, A. *see* ANDERSSON, G. M. 49–56

WEIDEMANN, M. J. *see* SUTER, D. 583–594
WHITE, A. *see* KUHN, N. J. 77–84
WHITE, H. B., III. *see* HARDING, J. W., JR. 545–550
WILLIAMS, G. H. *see* LIU, D. K. 67–76
WILLIAMS, R. J. & EVANS, W. C. The metabolism of benzoate by *Moraxella* species through anaerobic nitrate respiration. Evidence for a reductive pathway 1–10

YAMAMURA, Y. *see* TAKEUCHI, N. 499–503

ZATMAN, L. J. *see* COLBY, J. 505–511, 513–520

Index of Subjects

Acetamidoethyl 2-(*p*-chlorophenyl)-2-(ααα-trifluoro-*m*-tolyloxy)acetate (halofenate), effects of fenfluramine, 2-(*p*-chlorophenoxy)isobutyrate and, and related compounds on the biosynthesis of glycerides and phospholipids in rat liver (Brindley, D. N. & Bowley, M.) 461–469

Acetate, effects of D-xylose, β-D-xylosides and β-D-galactosides on the incorporation of, into chondroitin sulphate in chick-embryo cartilage *in vitro* (Robinson, H. C., Brett, M. J., Tralaggan, P. J., Lowther, D. A. & Okayama, M.) 25–34

Acetoacetate, role of changes in the mitochondrial oxidized/reduced concentration ratio of free nicotinamide–adenine dinucleotide and concentration of oxaloacetate in the effects of increased mechanical work by isolated perfused rat heart during the production or uptake of 3-hydroxybutyrate and (Opie, L. H. & Owen, P.) 403–415

Acetylcholine, decreased biosynthesis of, accompanying impaired oxidation of pyruvate in rat brain minces (Gibson, G. E., Jope, R. & Blass, J. P.) 17–23

Acetylcholine, relationship of calcium ions to the effects of cinchocaine, adrenaline and, on the turnover of phosphatidylinositol in rat parotid-gland fragments (Jones, L. M. & Michell, R. H.) 479–485

Acetylcholine, stimulation by, and other neurotransmitter substances of the net activity of phospholipase A2 of synaptic membranes of guinea-pig cerebral cortex (Gullis, R. J. & Rowe, C. E.) 197–208

N-Acetylglucosamine, epimerization of the dolichol diphosphate derivative of, to that of *N*-acetylmannosamine by pig liver microsomal fraction (Palamarczyk, G. & Hemming, F. W.) 245–251

N-Acetylglucosamine 1-phosphate, transfer of, to dolichol monophosphate by pig liver microsomal fraction (Palamarczyk, G. & Hemming, F. W.) 245–251

β-*N*-Acetylglucosaminidase, rates of accumulation of the activities of, and other glycosidases during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 161–167

β-*N*-Acetylglucosaminidase, rates of biosynthesis *de novo* and degradation of, and other glycosidases during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 169–177

N-Acetylmannosamine, epimerization of the dolichol diphosphate derivative of *N*-acetylglucosamine to that of, by pig liver microsomal fraction (Palamarczyk, G. & Hemming, F. W.) 245–251

N-Acetylneuraminic acid, accelerated uptake of 5-hydroxytryptamine by human platelets enriched in (Szabados, L., Mester, L., Michal, F. & Born, G. V. R.) 335–336

Acinetobacter anitratum N.C.I.B. 10487, aerobic metabolism of cyclohexanecarboxylate by (Rho, E. M. & Evans, W. C.) 11–15

Adenine nucleotides, effects of butacaine on the binding and translocation of, in rat liver mitochondria (Fayle, D. R. H., Barritt, G. J. & Bygrave, F. L.) 527–531

Adenocarcinoma R3230AC, mammary-gland, rat, activities of alkaline ribonuclease and of ribonuclease inhibitor in rat mammary gland during the lactation cycle and in (Liu, D. K., Williams, G. H. & Fritz, P. J.) 67–76

Adenosine 3′:5′-cyclic monophosphate, investigation of the involvement of, in the stimulation by adrenocorticotrophin of steroidogenesis by using column perfusion of isolated rat adrenal-gland cells (Hudson, A. M. & McMartin, C.) 539–544

Adenosine 3′:5′-cyclic monophosphate, stimulation by, and other cyclic nucleotides of the phospholipase A2–fatty acid uptake system of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 567–581

Adenosine monophosphate, effects of guanosine monophosphate and, on the biosynthesis of urate *de novo* by isolated chick liver and kidney cells (Badenoch-Jones, P. & Buttery, P. J.) 599–601

Adenosine triphosphatase, development of the activity of, in plastids during greening of bean leaves (Gregory, P. & Bradbeer, J. W.) 433–438

Adenosine triphosphatase, membrane-bound, effects of uncouplers of oxidative phosphorylation on the incorporation of catecholamines by and the activity of, of vesicles of ox adrenal-gland-medulla chromaffin granules (Bashford, C. L., Casey, R. P., Radda, G. K. & Ritchie, G. A.) 153–155

Adenosine triphosphatase, simple and rapid method for the preparation of, from ox heart mitochondrial particles (Beechey, R. B., Hubbard, S. A., Linnett, P. E., Mitchell, A. D. & Munn, E. A.) 533–537

Adipocytes, epididymal, rat, specificity and metabolic implications of the inhibition by α-cyano-4-hydroxycinnamate and related compounds of pyruvate transport in mitochondria isolated from, and other tissues (Halestrap, A. P. & Denton, R. M.) 97–106

Adipose tissue, epididymal, rat, role of pyruvate dehydrogenase phosphate phosphatase in the activation by insulin of pyruvate dehydrogenase in (Mukherjee, C. & Jungas, R. L.) 229–235

Adipose tissue, epididymal, rat, turnover of carnitine in, and other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445

Adipose tissue, perigenital, mouse, obese–hyperglycaemic, desaturation of stearate by, and liver (Enser, M.) 551–555

Adrenal-gland cells, rat, isolated, investigation of the involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by adrenocorticotrophin of steroidogenesis by using column perfusion of (Hudson, A. M. & McMartin, C.) 539–544

Adrenal-gland medulla, ox, effect of uncouplers of oxidative phosphorylation on the incorporation of catecholamines by vesicles of chromaffin granules from (Bashford, C. L., Casey, R. P., Radda, G. K. & Ritchie, G. A.) 153–155

Adrenaline, effect of uncouplers of oxidative phosphorylation on the incorporation of, by vesicles of ox adrenal-gland-medulla chromaffin granules (Bashford, C. L., Casey, R. P., Radda, G. K. & Ritchie, G. A.) 153–155

Adrenaline, failure of, to induce hyperglycaemia in young mice after the injection of fructose (Thurston, J. H., Jones, E. M. & Hauhart, R. E.) 149–151

Adrenaline, relationship of calcium ions to the effects of cinchocaine, acetylcholine and, on the turnover of phosphatidylcholine in rat parotid-gland fragments (Jones, L. M. & Michell, R. H.) 479–485

Adrenocorticotrophin, investigation of the involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by, of steroidogenesis by using column perfusion of isolated rat adrenal-gland cells (Hudson, A. M. & McMartin, C.) 539–544

Albumin, serum, ox, protection by, of rat liver microsomal glucose 6-phosphatase by pure and impure preparations of C-type phospholipases (Cater, B. R., Trivedi, P. & Hallinan, T.) 279–294

Alkaline ribonuclease, *see* Ribonuclease, alkaline

Amino acids, branched-chain, regulation of the oxidation of, in isolated rat diaphragm muscle, sciatic nerve and aorta (Buse, M. G., Jursinic, S. & Reid, S. S.) 363–374

Aminopyrine demethylase, effects of single doses of methanol, ethanol or propan-2-ol on the activities of aniline hydroxylase and, in rat liver microsomal fraction (Powis, G.) 269–277

Amyloid fibrils, stimulation by, of the biosynthesis of glycosaminoglycans by human skin fibroblasts (Palmoski, M. J. & Brandt, K. D.) 145–147

Aniline hydroxylase, effects of single doses of methanol, ethanol or propan-2-ol on the activities of aminopyrine demethylase and, in rat liver microsomal fraction (Powis, G.) 269–277

8-Anilinonaphthalene-1-sulphonate, interaction of, with whole and disrupted rat liver mitochondria and a re-evaluation of the use of double-reciprocal plots in the derivation of binding parameters for fluorescent probes binding to mitochondrial membranes (Gains, N. & Dawson, A. P.) 157–160

Anions, use of phenolphthalein disulphate as a model for investigation of the biliary excretion of, in the rat (Powell, G. M., Jones, J. G., Olavesen, A. H. & Curtis, C. G.) 303–307

Aorta, rat, isolated, regulation of the oxidation of branched-chain amino acids in, diaphragm muscle and sciatic nerve (Buse, M. G., Jursinic, S. & Reid, S. S.) 363–374

Bacillus cereus T, inactivation of glucose 6-phosphate dehydrogenase during germination and outgrowth of endospores of (Orlowski, M. & Goldman, M.] 259–268

Bacillus spp. PM6 and S2A1, activities of enzymes of the tricarboxylic acid cycle in the restricted facultative methylotrophs bacterium spp. W6A and W3A1 and (Colby, J. & Zatman, L. J.) 505–511

Bacillus spp. PM6 and S2A1, enzymological aspects of the pathways for the oxidation of trimethylamine and the assimilation of C_1 compounds in the obligate methylotrophs bacterium spp. 4B6 and C2A1 and in the restricted facultative methylotrophs bacterium spp. W6A and C2A1 and (Colby, J. & Zatman, L. J.) 513–520

Bacterium spp. 4B6 and C2A1, enzymological aspects of the pathways for the oxidation of trimethylamine and the assimilation of C_1 compounds in the restricted facultative methylotrophs bacterium spp. W6A and W3A1 and *Bacillus* spp. PM6 and S2A1 and in the obligate methylotrophs (Colby, J. & Zatman, L. J.) 513–520

Bacterium spp. W6A and W3A1, activities of enzymes of the tricarboxylic acid cycle in the restricted facultative methylotrophs *Bacillus* spp. PM6 and S2A1 and (Colby, J. & Zatman, L. J.) 505–511

Bacterium spp. W6A and W3A1, enzymological aspects of the pathways for the oxidation of trimethylamine and the assimilation of C_1 compounds in the obligate methylotrophs bacterium spp. 4B6 and C2A1 and in the restricted facultative methylotrophs *Bacillus* spp. PM6 and S2A1 and (Colby, J. & Zatman, L. J.) 513–520

Bean, castor (*Ricinus communis*), germinating, breakdown of lipid reserves in the endosperm of (Marriott, K. M. & Northcote, D. H.) 139–144

Bean (*Phaseolus vulgaris*) leaves, development of adenosine triphosphatase activity in plastids during greening of (Gregory, P. & Bradbeer, J. W.) 433–438

Beetle, Japanese (*Popillia japonica*), nature and control of the tricarboxylic acid cycle in flight muscle of (Hansford, R. G. & Johnson, R. N.) 389–401

Benzoate, evidence for a reductive pathway in the metabolism of, by *Moraxella* sp. N.C.I.B. 11086 through anaerobic nitrate respiration (Williams, R. J. & Evans, W. C.) 1–10

Bile, use of phenolphthalein disulphate as a model for investigation of the excretion of anions in, in the rat (Powell, G. M., Jones, J. G., Olavesen, A. H. & Curtis, C. G.) 303–307

Blood platelets, *see* Platelets

Blood, rat, changes in the turnover rate of glucose in, immediately after birth (Girard, J. R. & Guillet, I.) 345–347

Brain cortex, guinea-pig, stimulation by neurotransmitter substances and putative neurotransmitter substances of the net activity of phospholipase A2 of the synaptic membranes of (Gullis, R. J. & Rowe, C. E.) 197–208

Brain, guinea-pig, stimulation by cyclic nucleotides of the phospholipase A2–fatty acid uptake system of synaptic membranes from (Gullis, R. J. & Rowe, C. E.) 567–581

Brain, guinea-pig, stimulation by synaptic transmitters of the incorporation of oleate into the phospholipids of synaptic membranes from (Gullis, R. J. & Rowe, C. E.) 557–565

Brain, rat, content of sialic acid in crude fractions of myelin from, and evidence that it is due to contamination by non-myelin membranes (Langley, O. K.) 375–380

Brain, rat, decreased biosynthesis of acetylcholine accompanying impaired oxidation of pyruvate in minces of (Gibson, G. E., Jope, R. & Blass, J. P.) 17–23

Brain, rat, preferential accumulation of 6-*O*-methylguanine residues in the deoxyribonucleic acid of, during repetitive administration of *N*-methyl-*N*-nitrosourea (Margison, G. P. & Kleihues, P.) 521–525

Brain, rat, turnover of carnitine in, and other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445

1-Bromo-1-chloro-2,2,2-trifluoroethane (halothane), effects of, on microsomal electron transfer in rat liver (Berman, M. C., Ivanetich, K. M. & Kench, J. E.) 179–186
3-Bromopyruvate, inhibitory effects of, on the oxidation of pyruvate and the biosynthesis of acetylcholine in rat brain minces (Gibson, G. E., Jope, R. & Blass, J. P.) 17–23
Butacaine, effects of, on the binding and translocation of adenine nucleotides in rat liver mitochondria (Fayle, D. R. H., Barritt, G. J. & Bygrave, F. L.) 527–531
γ-Butyrolactone, identification of, as a metabolite of salts of hexadecyl sulphate in the rat, the dog and the human (Merits, I.) 219–228

Calcium ions, relationship of, to the receptor-controlled stimulation of the turnover of phosphatidylinositol in rat parotid-gland fragments (Jones, L. M. & Michell, R. H.) 479–485
Carnitine, transport of, and other substrates by a mitochondrial monocarboxylate transporter in rat liver and heart and its possible function in cell control (Mowbray, J.) 41–47
Carnitine, turnover of, in rat tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445
Cartilage cells, chick-embryo, biosynthesis and secretion of procollagen by (Harwood, R., Bhalla, A. K., Grant, M. E. & Jackson, D. S.) 129–138
Cartilage, chick-embryo, effects of D-xylose, β-D-xylosides and β-D-galactosides on the biosynthesis of chondroitin sulphate in, *in vitro* (Robinson, H. C., Brett, M. J., Tralaggan, P. J., Lowther, D. A. & Okayama, M.) 25–34
Castor bean, *see* Bean, castor
Catecholamines, effect of uncouplers of oxidative phosphorylation on the incorporation of, by vesicles of ox adrenal-gland-medulla chromaffin granules (Bashford, C. L., Casey, R. P., Radda, G. K. & Ritchie, G. A.) 153–155
Cells, adrenal-gland, rat, isolated, investigation of the involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by adrenocorticotrophin of steroidogenesis by using column perfusion of (Hudson, A. M. & McMartin, C.) 539–544
Cells, kidney and liver, chick, effects of adenosine monophosphate and guanosine monophosphate on the biosynthesis of urate *de novo* by (Badenoch-Jones, P. & Buttery, P. J.) 599–601
Cells, progenitor, granulopoietic, human, isolation from medium conditioned by human peripheral leucocytes and properties of factors stimulating the formation of granulocyte colonies by (Price, G. B., Senn, J. S., McCulloch, E. A. & Till, J. E.) 209–217
Cerebral cortex, guinea-pig, stimulation by neurotransmitter substances and putative neurotransmitter substances of the net activity of phospholipase A2 of the synaptic membranes of (Gullis, R. J. & Rowe, C. E.) 197–208
Chick, effects of adenosine monophosphate and guanosine monophosphate on the biosynthesis of urate *de novo* by isolated liver and kidney cells from (Badenoch-Jones, P. & Buttery, P. J.) 599–601
Chick embryo, biosynthesis and secretion of procollagen by cartilage cells from (Harwood, R., Bhalla, A. K., Grant, M. E. & Jackson, D. S.) 129–138
Chick embryo, effects of D-xylose, β-D-xylosides and β-D-galactosides on the biosynthesis of chondroitin sulphate in cartilage from, *in vitro* (Robinson, H. C., Brett, M. J., Tralaggan, P. J., Lowther, D. A. & Okayama, M.) 25–34
Chloroform, use of, for the release of adenosine triphosphatase from ox heart submitochondrial particles (Beechey, R. B., Hubbard, S. A., Linnett, P. E., Mitchell, A. D. & Munn, E. A.) 533–537
2-(*p*-Chlorophenoxy)isobutyrate, effects of fenfluramine, halofenate and, and related compounds on the biosynthesis of glycerides and phospholipids in rat liver (Brindley, D. N. & Bowley, M.) 461–469
Chlorophyll *a*, evidence that the circularly dichroic forms *a*-682 and *a*-710 of, are oriented at right-angles to the thylakoid membranes of whole pea-leaf chloroplasts and that the circular dichroism is light-dependent (Gregory, R. P. F.) 487–497
Chloroplasts, development of adenosine triphosphatase activity in etioplasts and, during greening of bean leaves (Gregory, P. & Bradbeer, J. W.) 433–438
Chloroplasts, pea-leaf, whole, evidence that the circularly dichroic forms *a*-682 and *a*-710 of chlorophyll *a* are oriented at right-angles to the thylakoid membranes of, and that the circular dichroism is light-dependent (Gregory, R. P. F.) 487–497
Chlorpromazine, enhanced biosynthesis *de novo* of phosphatidylinositol in pig mesenteric-lymph-node lymphocytes treated with, and other cationic amphiphilic drugs (Allan, D. & Michell, R. H.) 471–478
Cholesterol, dietary, specificity of the effect of, on the activity of rat liver microsomal 3-hydroxy-3-methylglutaryl-coenzyme A reductase (Gregory, K. W. & Booth, R.) 337–339
Cholesterol, effect of feeding with, on the biosynthesis of ubiquinone in the rat (Ranganathan, S. & Ramasarma, T.) 35–39
Cholesterol, effects of modification of thyroid function on the biosynthesis and 7α-hydroxylation of, in rat liver (Takeuchi, N., Ito, M., Uchida, K. & Yamamura, Y.) 499–503
Cholic acid, effect of feeding with, on the biosynthesis of ubiquinone in the rat (Ranganathan, S. & Ramasarma, T.) 35–39
Choline, essentiality of ubiquinone for the oxidation of, by rat liver mitochondria (Barrett, M. C. & Dawson, A. P.) 595–597
Chondroitin sulphate, effects of D-xylose, β-D-xylosides and β-D-galactosides on the biosynthesis of, in chick-embryo cartilage *in vitro* (Robinson, H. C., Brett, M. J., Tralaggan, P. J., Lowther, D. A. & Okayama, M.) 25–34
Chromaffin granules, adrenal-gland-medulla, ox, effect of uncouplers of oxidative phosphorylation on the incorporation of catecholamines by vesicles of (Bashford, C. L., Casey, R. P., Radda, G. K. & Ritchie, G. A.) 153–155
Cinchocaine, enhanced biosynthesis *de novo* of phosphatidylinositol in pig mesenteric-lymph-node lymphocytes treated with, and other cationic amphiphilic drugs (Allan, D. & Michell, R. H.) 471–478

Cinchocaine, relationship of calcium ions to the effects of acetylcholine, adrenaline and, on the turnover of phosphatidylcholine in rat parotid-gland fragments (Jones, L. M. & Michell, R. H.) 479–485
Citric acid cycle, *see* Tricarboxylic acid cycle
Clofibrate [ethyl α-(*p*-chlorophenoxy)isobutyrate], effect of the administration of, on the biosynthesis of ubiquinone in the rat (Ranganathan, S. & Ramasarma, T.) 35–39
Colchicine, binding of, to ox anterior-pituitary-gland slices and inhibition of the release of growth hormone (Sheterline, P., Schofield, J. G. & Mira, F.) 453–459
Colchicine, evidence that the interference by, with the release of insulin by rat and guinea-pig islets of Langerhans is due to inhibition of the polymerization of tubulin-like protein into microtubules (Montague, W., Howell, S. L. & Green, I. C.) 237–243
Corticotrophin, *see* Adrenocorticotrophin
Cortisol, effects of, and other hormones on the turnover of fatty acid synthetase in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 309–320
Corynebacterium aquaticum, metabolism and function of the mannophosphoinositides of (Hackett, J. A. & Brennan, P. J.) 253–258
Cyanide, potassium, biosynthesis of alternative membrane-bound redox carriers during aerobic growth of *Escherichia coli* in the presence of (Ashcroft, J. R. & Haddock, B. A.) 349–352
α-Cyano-4-hydroxycinnamate, specificity and metabolic implications of the inhibition by, and related compounds of pyruvate transport in isolated mitochondria from various tissues and in intact tissue preparations (Halestrap, A. P. & Denton, R. M.) 97–106
Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cyclic nucleotides, *see* Nucleotides, cyclic
Cyclohexanecarboxylate, aerobic metabolism of, by *Acinetobacter anitratum* N.C.I.B. 10487 (Rho, E. M. & Evans, W. C.) 11–15
Cyclohexanecarboxylate, identification of, as an intermediate in the metabolism of benzoate by *Moraxella* sp. N.C.I.B. 11086 through anaerobic nitrate respiration (Williams, R. J. & Evans, W. C.) 1–10
Cyclohex-1-ene-1-carboxylate, identification of, as an intermediate in the aerobic metabolism of cyclohexanecarboxylate by *Acinetobacter anitratum* N.C.I.B. 10487 (Rho, E. M. & Evans, W. C.) 11–15
Cytochrome b_5, microsomal, liver, rat, effects of halothane on electron transfer by (Berman, M. C., Ivanetich, K. M. & Kench, J. E.) 179–186
Cytochromes, biosynthesis and sidedness of membrane-bound nitrate reductase in an *Escherichia coli* mutant lacking (Kemp, M. B., Haddock, B. A. & Garland, P. B.) 329–333

Deoxyribonucleic acid, brain, rat, preferential accumulation of 6-*O*-methylguanine residues in, during repetitive administration of *N*-methyl-*N*-nitrosourea (Margison, G. P. & Kleihues, P.) 521–525
Development, immediately postnatal, changes in the turnover rate of glucose in the rat during (Girard, J. E. & Guillet, I.) 345–347
Diabetes, streptozotocin-, effects of inhibition of gluconeogenesis on ketogenesis in rats with (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 353–362
Diaphragm muscle, rat, isolated, regulation of the oxidation of branched-chain amino acids in, sciatic nerve and aorta (Buse, M. G., Jursinic, S. & Reid, S. S.) 363–374
Dictyosome stacks, intact, formation of oligoglycans linked to lipid during the biosynthesis of β-glucan by pea root membrane fractions rich in (Brett, C. T. & Northcote, D. H.) 107–117
Dictyostelium discoideum, rates of accumulation of the activities of glycosidases during growth and differentiation of (Every, D. & Ashworth, J. M.) 161–167
Dictyostelium discoideum, rates of biosynthesis *de novo* and degradation of glycosidases during growth and differentiation of (Every, D. & Ashworth, J. M.) 169–177
Diet, effect of, on the biosynthesis of ubiquinone in the rat (Ranganathan, S. & Ramasarma, T.) 35–39
Diet, protein-restricted, effect of feeding with, on the activity of deoxyribonucleic acid-dependent ribonucleic acid polymerase in rat liver (Andersson, G. M. & von der Decken, A.) 49–56
Dolichol diphosphate, formation of mono-*N*-acetylhexosamine derivatives of, by pig liver microsomal fraction (Palamarczyk, G. & Hemming, F. W.) 245–251
Duckweed (*Lemna minor*), method for the measurement of protein turnover in (Humphrey, T. J. & Davies, D. D). 119–127

Electron transfer, microsomal, liver, rat, effects of halothane on (Berman, M. C., Ivanetich, K. M. & Kench, J. E.) 179–186
Embryos, rye, early biosynthesis of ribonucleic acid during the germination of, and its relationship to the early biosynthesis of protein (Sen, S., Payne, P. I. & Osborne, D. J.) 381–387
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Endosperm, castor-bean, breakdown of lipid reserves in, during germination (Marriott, K. M. & Northcote, D. H.) 139–144
Endospores, *Bacillus cereus* T, inactivation of glucose 6-phosphate dehydrogenase during germination and outgrowth of (Orlowski, M. & Goldman, M.) 259–268
Epididymis, rat, role of pyruvate dehydrogenase phosphate phosphatase in the activation by insulin of pyruvate dehydrogenase in adipose tissue of (Mukherjee, C. & Jungas, R. L.) 229–235
Epididymis, rat, specificity and metabolic implications of the inhibition by α-cyano-4-hydroxycinnamate and related compounds of pyruvate transport in fat-pads from, and in other tissues (Halestrap, A. P. & Denton, R. M.) 97–106
Epididymis, rat, turnover of carnitine in adipose tissue of, and in other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445
Epinephrine, *see* Adrenaline
Erythrocytes, immature, frog, removal of iron from transferrin by a cell-free system prepared from (James, G. T. & Frieden, E.) 341–343

Escherichia coli, biosynthesis and sidedness of membrane-bound nitrate reductase in a mutant of, lacking cytochromes (Kemp, M. B., Haddock, B. A. & Garland, P. B.) 329–333

Escherichia coli, biosynthesis of alternative membrane-bound redox carriers during aerobic growth of, in the presence of potassium cyanide (Ashcroft, J. R. & Haddock, B. A.) 349–352

Ethanol, comparison of the effects of acute and chronic administration of nicotine hydrogen (+)-tartrate on the activity of tryptophan pyrrolase in rat liver with those of morphine, phenobarbitone and (Badawy, A. A.-B. & Evans, M.) 425–432

Ethanol, effects of single doses of methanol, propan-2-ol or, on the metabolism of foreign compounds by rat liver microsomal fraction (Powis, G.) 269–277

2-Ethylamino-1-(*m*-trifluoromethylphenyl)propane hydrochloride (fenfluramine), effects of acetamidoethyl 2-(*p*-chlorophenyl)-2-(ααα-trifluoro-*m*-tolyloxy)acetate (halofenate), 2-(*p*-chlorophenoxy)isobutyrate and, and related compounds on the biosynthesis of glycerides and phospholipids in rat liver (Brindley, D. N. & Bowley, M.) 461–469

Ethyl α-(*p*-chlorophenoxy)isobutyrate (clofibrate), effect of the administration of, on the biosynthesis of ubiquinone in the rat (Ranganathan, S. & Ramasarma, T.) 35–39

Etioplasts, development of adenosine triphosphatase activity in chloroplasts and, during greening of bean leaves (Gregory, P. & Bradbeer, J. W.) 433–438

Euglena gracilis, subcellular localization of enzymes of the glycollate pathway in (Collins, N. & Merrett, M. J.) 321–328

Fat-cells, epididymal, rat, specificity and metabolic implications of the inhibition by α-cyano-4-hydroxycinnamate and related compounds of pyruvate transport in mitochondria isolated from, and other tissues (Halestrap, A. P. & Denton, R. M.) 97–106

Fatty acid synthetase, effects of hormones on the turnover of, in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 309–320

Fatty acids, stimulation by cyclic nucleotides of the activity of phospholipase A2 and of the incorporation of, into the phospholipids of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 567–581

Fenfluramine [2-ethylamino-1-(*m*-trifluoromethylphenyl)-propane hydrochloride], effects of halofenate, 2-(*p*-chlorophenoxy)isobutyrate and, and related compounds on the biosynthesis of glycerides and phospholipids in rat liver (Brindley, D. N. & Bowley, M.) 461–469

Fibroblasts, skin, human, stimulation by amyloid fibrils of the biosynthesis of glycosaminoglycans by (Palmoski, M. J. & Brandt, K. D.) 145–147

Flight muscle, *see* Muscle, flight

Formaldehyde, enzymological aspects of the pathways for the oxidation of trimethylamine and the assimilation of, in the obligate methylotrophs bacterium spp. 4B6 and C2A1 and in the restricted facultative methylotrophs bacterium spp. W6A and W3A1 and *Bacillus* spp. PM6 and S2A1 (Colby, J. & Zatman, L. J.) 513–520

Frog (*Rana catesbeiana*), removal of iron from transferrin by a cell-free system prepared from immature erythrocytes from (James, G. T. & Frieden, E.) 341–343

Fructose, failure of adrenaline to induce hyperglycaemia in young mice after the injection of (Thurston, J. H., Jones, E. M. & Hauhart, R. E.) 149–151

β-Galactosidase, rates of accumulation of the activities of, and other glycosidases during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 161–167

β-D-Galactosides, effect of, on the biosynthesis of chondroitin sulphate in chick-embryo cartilage *in vitro* (Robinson, H. C., Brett, M. J., Tralaggan, P. J., Lowther, D. A. & Okayama, M.) 25–34

Germination, breakdown of lipid reserves in castor-bean endosperm during (Marriott, K. M. & Northcote, D. H.) 139–144

Germination, early biosynthesis of ribonucleic acid during, of rye embryos and its relationship to the early biosynthesis of protein (Sen, S., Payne, P. I. & Osborne, D. J.) 381–387

Germination, inactivation of glucose 6-phosphate dehydrogenase during, and outgrowth of *Bacillus cereus* T endospores (Orlowski, M. & Goldman, M.) 259–268

Gibberellic acid, effect of, on the breakdown of lipid reserves in castor-bean endosperm during germination (Marriott, K. M. & Northcote, D. H.) 139–144

β-Glucan, formation of oligoglycans linked to lipid during the biosynthesis of, by membrane fractions isolated from pea roots (Brett, C. T. & Northcote, D. H.) 107–117

Gluconeogenesis, correlation between the activities of glycerol kinase and glycerol 3-phosphate dehydrogenase in rat hepatomas and normal rat liver and its relevance to, from glycerol (Harding, J. W., Jr., Pyeritz, E. A., Morris, H. P. & White, H. B., III) 545–550

Gluconeogenesis, effects of inhibition of, on ketogenesis in starved and streptozotocin-diabetic rats (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 353–362

Glucose, changes in the turnover rate of, in the newborn rat immediately after birth (Girard, J. R. & Guillet, I.) 345–347

Glucose, correlation between the activities of glycerol kinase and glycerol 3-phosphate dehydrogenase in rat hepatomas and normal rat liver and its relevance to the biosynthesis of, from glycerol (Harding, J. W., Jr., Pyeritz, E. A., Morris, H. P. & White, H. B., III) 545–550

Glucose, effects of inhibition of the formation of, on ketogenesis in starved and streptozotocin-diabetic rats (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 353–362

Glucose, effects of modification of thyroid function on the induction by administration of, of the biosynthesis and 7α-hydroxylation of cholesterol in rat liver (Takeuchi, N., Ito, M., Uchida, K. & Yamamura, Y.) 499–503

Glucose, failure of adrenaline to increase the concentration of, in plasma in young mice after the injection of fructose (Thurston, J. H., Jones, E. M. & Hauhart, R. E.) 149–151

Glucose 6-phosphatase, microsomal, liver, rat, reactivation by dispersions of phospholipids of, after inhibition by pure and impure preparations of C-type phospholipases and protection by ox serum albumin against the inhibition (Cater, B. R., Trivedi, P. & Hallinan, T.) 279–294

Glucose 6-phosphate dehydrogenase, inactivation of, during germination and outgrowth of *Bacillus cereus* T endospores (Orlowski, M. & Goldman, M.) 259–268

Glucose, quantitative aspects of the oxidation of, by rat spleen slices (Suter, D. & Weidemann, M. J.) 583–594

α-Glucosidase, rates of accumulation of the activities of, and other glycosidases during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 161–167

α-Glucosidase, rates of biosynthesis *de novo* and degradation of, and other glycosidases during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 169–177

β-Glucosidase, rates of accumulation of the activities of, and other glycosidases during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 161–167

Glutamate dehydrogenase, role of, in the control of the oxidation of proline via the tricarboxylic acid cycle in Japanese-beetle flight-muscle mitochondria (Hansford, R. G. & Johnson, R. N.) 389–401

Glycerides, effects of fenfluramine, halofenate and 2-(*p*-chlorophenoxy)isobutyrate and related compounds on the biosynthesis of phospholipids and, in rat liver (Brindley, D. N. & Bowley, M.) 461–469

Glycerol kinase, correlation between the activities of glycerol 3-phosphate dehydrogenase and, in rat hepatomas and normal rat liver (Harding, J. W., Jr., Pyeritz, E. A., Morris, H. P. & White, H. B., III) 545–550

Glycerol 3-phosphate dehydrogenase, correlation between the activities of glycerol kinase and, in rat hepatomas and normal rat liver (Harding, J. W., Jr., Pyeritz, E. A., Morris, H. P. & White, H. B., III) 545–550

Glycine, effects of adenosine monophosphate and guanosine monophosphate on the biosynthesis of urate from, by isolated chick liver and kidney cells (Badenoch-Jones, P. & Buttery, P. J.) 599–601

Glycolipids, formation of, during the biosynthesis of β-glucan by membrane fractions isolated from pea roots (Brett, C. T. & Northcote, D. H.) 107–117

Glycollate pathway, subcellular localization of enzymes of, in *Euglena gracilis* (Collins, N. & Merrett, M. J.) 321–328

Glycollic acid sulphate ester, identification of, as a metabolite of salts of hexadecyl sulphate in the dog (Merits, I.) 219–228

Glycoproteins, structure and metabolism of glycosaminoglycans and, secreted by organ cultures of rabbit trachea (Gallagher, J. T. & Kent, P. W.) 187–196

Glycosaminoglycans, stimulation by amyloid fibrils of the biosynthesis of, by human skin fibroblasts (Palmoski, M. J. & Brandt, K. D.) 145–147

Glycosaminoglycans, structure and metabolism of glycoproteins and, secreted by organ cultures of rabbit trachea (Gallagher, J. T. & Kent, P. W.) 187–196

Glycosidases, rates of accumulation of the activities of, during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 161–167

Glycosidases, rates of biosynthesis *de novo* and degradation of, during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 169–177

Golgi apparatus, mammary-gland, rat, topography of the biosynthesis of lactose by vesicles derived from (Kuhn, N. J. & White, A.) 77–84

Granulocyte colonies, isolation from medium conditioned by human peripheral leucocytes and properties of factors stimulating the formation of, by human granulopoietic progenitor cells (Price, G. B., Senn, J. S., McCulloch, E. A. & Till, J. E.) 209–217

Granulopoietic progenitor cells, human, isolation from medium conditioned by human peripheral leucocytes and properties of factors stimulating the formation of granulocyte colonies by (Price, G. B., Senn, J. S., McCulloch, E. A. & Till, J. E.) 209–217

Growth cycle, changes in the composition of the mannophosphoinositides during, of *Corynebacterium aquaticum* (Hackett, J. A. & Brennan, P. J.) 253–258

Growth hormone, binding of colchicine to ox anterior-pituitary-gland slices and inhibition of the release of (Sheterline, P., Schofield, J. G. & Mira, F.) 453–459

Guanine residues, 6-*O*-methylated, preferential accumulation of, in rat brain deoxyribonucleic acid during repetitive administration of *N*-methyl-*N*-nitrosourea (Margison, G. P. & Kleihues, P.) 521–525

Guanosine monophosphate, effects of adenosine monophosphate and, on the biosynthesis of urate *de novo* by isolated chick liver and kidney cells (Badenoch-Jones, P. & Buttery, P. J.) 599–601

Guanosine triphosphatases, elongation factor 1-dependent and elongation factor 2-dependent, inhibition by ricin of the activities of, of rat liver ribosomes (Sperti, S., Montanaro, L., Mattioli, A. & Testoni, G.) 447–451

Halofenate [acetamidoethyl 2-(*p*-chlorophenyl)-2-(α,α,α-trifluoro-*m*-tolyloxy)acetate], effects of fenfluramine, 2-(*p*-chlorophenoxy)isobutyrate and, and related compounds on the biosynthesis of glycerides and phospholipids in rat liver (Brindley, D. N. & Bowley, M.) 461–469

Halothane (1-bromo-1-chloro-2,2,2-trifluoroethane), effects of, on microsomal electron transfer in rat liver (Berman, M. C., Ivanetich, K. M. & Kench, J. E.) 179–186

Heart, ox, simple and rapid method for the preparation of adenosine triphosphatase from submitochondrial particles from (Beechey, R. B., Hubbard, S. A., Linnett, P. E., Mitchell, A. D. & Munn, E. A.) 533–537

Heart, rat, kinetics and specificity towards substrates and inhibitors of the mitochondrial pyruvate carrier of, and liver (Halestrap, A. P.) 85–96

Heart, rat, perfused, isolated, role of changes in the mitochondrial oxidized/reduced concentration ratio of free nicotinamide–adenine dinucleotide and concentration of oxaloacetate in the effects of increased mechanical work by, during the production or uptake of ketone bodies (Opie, L. H. & Owen, P.) 403–415

Heart, rat, properties of a mitochondrial monocarboxylate transporter in, and liver and its possible function in cell control (Mowbray, J.) 41–47
Heart, rat, specificity and metabolic implications of the inhibition by α-cyano-4-hydroxycinnamate and related compounds of pyruvate transport in mitochondria isolated from, and other tissues (Halestrap, A. P. & Denton, R. M.) 97–106
Heart, rat, turnover of carnitine in, and other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445
Hepatomas, rat, correlation between the activities of glycerol kinase and glycerol 3-phosphate dehydrogenase in, and normal rat liver (Harding, J. W., Jr., Pyeritz, E. A., Morris, H. P. & White, H. B., III) 545–550
Hexadecyl sulphate, metabolism of salts of, in the rat, the dog and the human (Merits, I.) 219–228
Hormones, effects of, on the turnover of fatty acid synthetase in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 309–320
Hydrocortisone, *see* Cortisol
Hydrogen ions, association of a flux of, with pyruvate transport by rat liver and heart mitochondria (Halestrap, A. P.) 85–96
Hydrogen isotope (^{3}H), use of a short exposure to growth medium containing water labelled with, in a method for the measurement of protein turnover in plants as exemplified by duckweed (*Lemna minor*) (Humphrey, T. J. & Davies, D. D.) 119–127
p-Hydroxybenzaldehyde, regulation of the incorporation of, into ubiquinone in the rat (Ranganathan, S. & Ramasarma, T.) 35–39
3-Hydroxybutyrate, role of changes in the mitochondrial oxidized/reduced concentration ratio of free nicotinamide–adenine dinucleotide and concentration of oxaloacetate in the effects of increased mechanical work by isolated perfused rat heart during the production or uptake of acetoacetate and (Opie, L. H. & Owen, P.) 403–415
4-Hydroxybutyric acid sulphate ester, identification of, as a metabolite of salts of hexadecyl sulphate in the rat, the dog and the human (Merits, I.) 219–228
2-Hydroxycyclohexanecarboxylate, identification of, as an intermediate in the aerobic metabolism of cyclohexanecarboxylate by *Acinetobacter anitratum* N.C.I.B. 10487 (Rho, E. M., & Evans, W. C.) 11–15
2-Hydroxycyclohexanecarboxylate, identification of, as an intermediate in the metabolism of benzoate by *Moraxella* sp. N.C.I.B. 11086 through anaerobic nitrate respiration (Williams, R. J. & Evans, W. C.) 1–10
3-Hydroxy-3-methylglutaryl-coenzyme A reductase, microsomal, liver, rat, specificity of the effect of dietary cholesterol on the activity of (Gregory, K. W. & Booth, R.) 337–339
11-Hydroxy steroids, investigation of the involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by adrenocorticotrophin of the biosynthesis of, by using column perfusion of isolated rat adrenal-gland cells (Hudson, A. M. & McMartin, C.) 539–544
5-Hydroxytryptamine, accelerated uptake of, by human platelets enriched in sialic acid (Szabados, L., Mester, L., Michal, F. & Born, G. V. R.) 335–336
Hyperglycaemia, failure of adrenaline to induce, in young mice after the injection of fructose (Thurston, J. H., Jones, E. M. & Hauhart, R. E.) 149–151
Hypophysis, *see* Neurohypophysis

Immunoglobulins, association of, and other polypeptides with the plasma membrane of pig mesenteric-lymph-node lymphocytes (Chavin, S. I., Johnson, S. M. & Holliman, A.) 417–423
Insulin, effects of, and other hormones on the turnover of fatty acid synthetase in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 309–320
Insulin, evidence that the interference by colchicine with the release of, by rat and guinea-pig islets of Langerhans is due to inhibition of the polymerization of tubulin-like protein into microtubules (Montague, W., Howell, S. L. & Green, I. C.) 237–243
Insulin, role of pyruvate dehydrogenase phosphate phosphatase in the activation by, of pyruvate dehydrogenase in rat epididymal adipose tissue (Mukherjee, C. & Jungas, R. L.) 229–235
Iron, removal of, from transferrin by a cell-free system prepared from frog immature erythrocytes (James, G. T. & Frieden, E.) 341–343
Islets of Langerhans, pancreas, rat and guinea-pig, evidence that the interference by colchicine with the release of insulin by, is due to inhibition of the polymerization of tubulin-like protein into microtubules (Montague, W., Howell, S. L. & Green, I. C.) 237–243
Isoleucine, regulation of the oxidation of leucine, valine and, in isolated rat diaphragm muscle, sciatic nerve and aorta (Buse, M. G., Jursinic, S. & Reid, S. S.) 363–374

Japanese beetle (*Popillia japonica*), nature and control of the tricarboxylic acid cycle in flight muscle of (Hansford, R. G. & Johnson, R. N.) 389–401

Ketogenesis, effects of inhibition of gluconeogenesis on, in starved and streptozotocin-diabetic rats (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 353–362
Ketone bodies, effects of inhibition of gluconeogenesis on the formation of, in starved and streptozotocin-diabetic rats (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 353–362
Ketone bodies, role of changes in the mitochondrial oxidized/reduced concentration ratio of free nicotinamide–adenine dinucleotide and concentration of oxaloacetate in the effects of increased mechanical work by isolated perfused rat heart during the production or uptake of (Opie, L. H. & Owen, P.) 403–415
Kidney cells, chick, isolated, effects of adenosine monophosphate and guanosine monophosphate on the biosynthesis of urate *de novo* by, and liver cells (Badenoch-Jones, P. & Buttery, P. J.) 599–601
Kidney cortex, rat, specificity and metabolic implications of the inhibition by α-cyano-4-hydroxycinnamate and related compounds of pyruvate transport in slices of, and in other tissues (Halestrap, A. P. & Denton, R. M.) 97–106
Kidney, rat, turnover of carnitine in, and other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445

Lactate, production of, during the metabolism of glucose in rat spleen slices (Suter, D. & Weidemann, M. J.) 583–594

Lactation cycle, activities of alkaline ribonuclease and of ribonuclease inhibitor in rat mammary gland during, and in rat mammary-gland adenocarcinoma R3230AC (Liu, D. K., Williams, G. H. & Fritz, P. J.) 67–76
Lactose, topography of the biosynthesis of, by vesicles derived from the Golgi apparatus of lactating rat mammary gland (Kuhn, N. J. & White, A.) 77–84
Leaves, bean, development of adenosine triphosphatase activity in plastids during greening of (Gregory, P. & Bradbeer, J. W.) 433–438
Leaves, pea, evidence that the circularly dichroic forms *a*-682 and *a*-710 of chlorophyll *a* are oriented at right-angles to the thylakoid membranes of whole chloroplasts from, and that the circular dichroism is light-dependent (Gregory, R. P. F.) 487–497
Lemna minor, *see* Duckweed
Leucine, regulation of the oxidation of isoleucine, valine and, in isolated rat diaphragm muscle, sciatic nerve and aorta (Buse, M. G., Jursinic, S. & Reid, S. S.) 363–374
Leucocytes, peripheral, human, isolation from medium conditioned by, and properties of factors stimulating the formation of granulocyte colonies by human granulopoietic progenitor cells (Price, G. B., Senn, J. S., McCulloch, E. A. & Till, J. E.) 209–217
Leukaemia, isolation from medium conditioned by peripheral leucocytes from human patients with non-haematological malignancies and with, and properties of factors stimulating the formation of granulocyte colonies by human granulopoietic progenitor cells (Price, G. B., Senn, J. S., McCulloch, E. A. & Till, J. E.) 209–217
Light, evidence that the circularly dichroic forms *a*-682 and *a*-710 of chlorophyll *a* are oriented at right-angles to the thylakoid membranes of whole pea-leaf chloroplasts and that the circular dichroism is dependent on (Gregory, R. P. F.) 487–497
Lipid, formation of oligoglycans linked to, during the biosynthesis of β-glucan by membrane fractions isolated from pea roots (Brett, C. T. & Northcote, D. H.) 107–117
Lipid reserves, breakdown of, in castor-bean endosperm during germination (Marriott, K. M. & Northcote, D. H.) 139–144
Lipogenesis, effects of hormones on the rate of, in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 309–320
Liver cells, chick, isolated, effects of adenosine monophosphate and guanosine monophosphate on the biosynthesis of urate *de novo* by, and kidney cells (Badenoch-Jones, P. & Buttery, P. J.) 599–601
Liver, mouse, obese–hyperglycaemic, desaturation of stearate by, and perigenital adipose tissue (Enser, M.) 551–555
Liver, pig, formation of mono-*N*-acetylhexosamine derivatives of dolichol diphosphate by microsomal fraction of (Palamarczyk, G. & Hemming, F. W.) 245–251
Liver, rat, correlation between the activities of glycerol kinase and glycerol 3-phosphate dehydrogenase in, and rat hepatomas (Harding, J. W., Jr., Pyeritz, E. A., Morris, H. P. & White, H. B., III) 545–550
Liver, rat, effect of feeding with a protein-restricted diet on the activity of deoxyribonucleic acid-dependent ribonucleic acid polymerase in (Andersson, G. M. & von der Decken, A.) 49–56
Liver, rat, effects of acute and chronic administration of nicotine hydrogen (+)-tartrate on the activity of tryptophan pyrrolase in, and their comparison with those of morphine, phenobarbitone and ethanol (Badawy, A. A.-B. & Evans, M.) 425–432
Liver, rat, effects of butacaine on the binding and translocation of adenine nucleotides in mitochondria from (Fayle, D. R. H., Barritt, G. J. & Bygrave, F. L.) 527–531
Liver, rat, effects of fenfluramine, halofenate and 2-(*p*-chlorophenoxy)isobutyrate and related compounds on the biosynthesis of glycerides and phospholipids in (Brindley, D. N. & Bowley, M.) 461–469
Liver, rat, effects of halothane on microsomal electron transfer in (Berman, M. C., Ivanetich, K. M. & Kench, J. E.) 179–186
Liver, rat, effects of modification of thyroid function on the biosynthesis and 7α-hydroxylation of cholesterol in (Takeuchi, N., Ito, M., Uchida, K. & Yamamura, Y.) 499–503
Liver, rat, effects of single doses of methanol, ethanol or propan-2-ol on the metabolism of foreign compounds by the microsomal fraction of (Powis, G.) 269–277
Liver, rat, essentiality of ubiquinone for the oxidation of choline by mitochondria from (Barrett, M. C. & Dawson, A. P.) 595–597
Liver, rat, inhibition by ricin of the activities of elongation factor 1-dependent and elongation factor 2-dependent guanosine triphosphatases of ribosomes from (Sperti, S., Montanaro, L., Mattioli, A. & Testoni, G.) 447–451
Liver, rat, interaction of 8-anilinonaphthalene-1-sulphonate with whole and disrupted mitochondria from (Gains, N. & Dawson, A. P.) 157–160
Liver, rat, kinetics and specificity towards substrates and inhibitors of the mitochondrial pyruvate carrier of, and heart (Halestrap, A. P.) 85–96
Liver, rat, properties of a mitochondrial monocarboxylate transporter in, and heart and its possible function in cell control (Mowbray, J.) 41–47
Liver, rat, reactivation by dispersions of phospholipids of microsomal glucose 6-phosphatase from, after inhibition by pure and impure preparations of C-type phospholipases and protection by ox serum albumin against the inhibition (Cater, B. R., Trivedi, P. & Hallinan, T.) 279–294
Liver, rat, specificity and metabolic implications of the inhibition by α-cyano-4-hydroxycinnamate and related compounds of pyruvate transport in mitochondria isolated from, and other tissues (Halestrap, A. P. & Denton, R. M.) 97–106
Liver, rat, specificity of the effect of dietary cholesterol on the activity of microsomal 3-hydroxy-3-methylglutaryl-coenzyme A reductase (Gregory, K. W. & Booth, R.) 337–339
Liver, rat, turnover of carnitine in, and other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445
Lung, rat, turnover of carnitine in, and other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445
Lymph nodes, mesenteric, pig, association of immunoglobulins and other polypeptides with the plasma membrane of lymphocytes from (Chavin, S. I., Johnson, S. M. & Holliman, A.) 417–423

Lymph nodes, mesenteric, pig, enhanced biosynthesis *de novo* of phosphatidylinositol in lymphocytes from, after treatment with cationic amphiphilic drugs (Allan, D. & Michell, R. H.) 471–478
Lymphocytes, contribution of, to the metabolism of glucose by rat spleen slices (Suter, D. & Weidemann, M. J.) 583–594
Lymphocytes, mesenteric-lymph-node, pig, association of immunoglobulins and other polypeptides with the plasma membrane of (Chavin, S. I., Johnson, S. M. & Holliman, A.) 417–423
Lymphocytes, mesenteric-lymph-node, pig, enhanced biosynthesis *de novo* of phosphatidylinositol in, treated with cationic amphiphilic drugs (Allan, D. & Michell, R. H.) 471–478
Lymphocytes, pig, phytohaemagglutinin-stimulated, transport of thymidine in (Barlow, S. D. & Ord, M. G.) 295–302

'Malic' enzyme (EC 1.1.1.39), role of, in the control of the oxidation of proline via the tricarboxylic acid cycle in Japanese-beetle flight-muscle mitochondria (Hansford, R. G. & Johnson, R. N.) 389–401
Mammary gland, rabbit, effects of hormones on the turnover of fatty acid synthetase in, in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 309–320
Mammary gland, rat, activities of alkaline ribonuclease and of ribonuclease inhibitor in, during the lactation cycle and in rat mammary-gland adenocarcinoma R3230AC (Liu, D. K., Williams, G. H. & Fritz, P. J.) 67–76
Mammary gland, rat, lactating, topography of the biosynthesis of lactose by vesicles derived from the Golgi apparatus of (Kuhn, N. J. & White, A.) 77–84
Mannophosphoinositides, metabolism and function of, of *Corynebacterium aquaticum* (Hackett, J. A. & Brennan, P. J.) 253–258
α-Mannosidase, rates of accumulation of the activities of, and other glycosidases during growth and differentiation of *Dictyostelium discoideum* (Every, D. & Ashworth, J. M.) 161–167
Membrane, cytoplasmic, biosynthesis and sidedness of nitrate reductase bound to, in an *Escherichia coli* mutant lacking cytochromes (Kemp, M. B., Haddock, B. A. & Garland, P. B.) 329–333
Membrane, cytoplasmic, biosynthesis of alternative redox carriers bound to, during aerobic growth of *Escherichia coli* in the presence of potassium cyanide (Ashcroft, J. R. & Haddock, B. A.) 349–352
Membrane fractions, pea-root, formation of oligoglycans linked to lipid during the biosynthesis of β-glucan by (Brett, C. T. & Northcote, D. H.) 107–117
Membrane, plasma, lymphocyte, mesenteric-lymph-node, pig, association of immunoglobulins and other polypeptides with (Chavin, S. I., Johnson, S. M. & Holliman, A.) 417–423
Membranes, mitochondrial, re-evaluation of the use of double-reciprocal plots in the derivation of binding parameters for 8-anilinonaphthalene-1-sulphonate and other fluorescent probes binding to (Gains, N. & Dawson, A. P.) 157–160
Membranes, neurosecretory-vesicle, posterior-pituitary-gland, ox, isolation and protein composition of, and plasma membranes (Vilhardt, H., Baker, R. V. & Hope, D. B.) 57–65
Membranes, non-myelin, content of sialic acid in crude fractions of rat brain myelin and evidence that it is due to contamination by (Langley, O. K.) 375–380
Membranes, plasma, posterior-pituitary-gland, ox, isolation and protein composition of, and neurosecretory-vesicle membranes (Vilhardt, H., Baker, R. V. & Hope, D. B.) 57–65
Membranes, synaptic, brain, guinea-pig, stimulation by cyclic nucleotides of the phospholipase A2–fatty acid uptake system of (Gullis, R. J. & Rowe, C. E.) 567–581
Membranes, synaptic, brain, guinea-pig, stimulation by synaptic transmitters of the incorporation of oleate into the phospholipids of (Gullis, R. J. & Rowe, C. E.) 557–565
Membranes, synaptic, cerebral-cortex, guinea-pig, stimulation by neurotransmitter substances and putative neurotransmitter substances of the net activity of phospholipase A2 of (Gullis, R. J. & Rowe, C. E.) 197–208
Membranes, thylakoid, chloroplast, pea-leaf, evidence that the circularly dichroic forms *a*-682 and *a*-710 of chlorophyll *a* are oriented at right-angles to, and that the circular dichroism is light-dependent (Gregory, R. P. F.) 487–497
3-Mercaptopicolinate, effects of inhibition of gluconeogenesis by infusion of, on ketogenesis in starved and streptozotocin-diabetic rats (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 353–362
Methanol, effects of single doses of ethanol, propan-2-ol or, on the metabolism of foreign compounds by rat liver microsomal fraction (Powis, G.) 269–277
6-*O*-Methylguanine residues, preferential accumulation of, in rat brain deoxyribonucleic acid during repetitive administration of *N*-methyl-*N*-nitrosourea (Margison, G. P. & Kleihues, P.) 521–525
N-Methyl-*N*-nitrosourea, preferential accumulation of 6-*O*-methylguanine residues in rat brain deoxyribonucleic acid during repetitive administration of (Margison, G. P. & Kleihues, P.) 521–525
Mevalonate, regulation of the incorporation of, into ubiquinone in the rat (Ranganathan, S. & Ramasarma, T.) 35–39
Microsomal fraction, liver, pig, formation of mono-*N*-acetylhexosamine derivatives of dolichol diphosphate by (Palamarczyk, G. & Hemming, F. W.) 245–251
Microsomal fraction, liver, rat, effects of halothane on electron transfer in (Berman, M. C., Ivanetich, K. M. & Kench, J. E.) 179–186
Microsomal fraction, liver, rat, effects of single doses of methanol, ethanol and propan-2-ol on the metabolism of foreign compounds by (Powis, G.) 269–277
Microsomal fraction, liver, rat, reactivation by dispersions of phospholipids of glucose 6-phosphatase from, after inhibition by pure and impure preparations of C-type phospholipases and protection by ox serum albumin against the inhibition (Cater, B. R., Trivedi, P. & Hallinan, T.) 279–294
Microsomal fraction, liver, rat, specificity of the effect of dietary cholesterol on the activity of 3-hydroxy-3-methylglutaryl-coenzyme A reductase of (Gregory, K. W. & Booth, R.) 337–339
Microsomal preparations, cartilage-cell, chick-embryo, biosynthesis of procollagen by (Harwood, R., Bhalla, A. K., Grant, M. E. & Jackson, D. S.) 129–138

Microtubules, decrease in the length of, after the binding of colchicine to ox anterior-pituitary-gland slices and its association with inhibition of the release of growth hormone (Sheterline, P., Schofield, J. G. & Mira, F.) 453–459

Microtubules, evidence that the interference by colchicine with the release of insulin by rat and guinea-pig islets of Langerhans is due to inhibition of the polymerization of tubulin-like protein into (Montague, W., Howell, S. L. & Green, I. C.) 237–243

Mitochondria, *Euglena gracilis*, localization of enzymes of the glycollate pathway in, and peroxisome-like particles (Collins, N. & Merrett, M. J.) 321–328

Mitochondria, flight-muscle, Japanese-beetle, nature and control of the tricarboxylic acid cycle in (Hansford, R. G. & Johnson, R. N.) 389–401

Mitochondria, heart, ox, simple and rapid method for the preparation of adenosine triphosphatase from submitochondrial particles from (Beechey, R. B., Hubbard, S. A., Linnett, P. E., Mitchell, A. D. & Munn, E. A.) 533–537

Mitochondria, heart, rat, role of changes in the oxidized/reduced concentration ratio of free nicotinamide–adenine dinucleotide and in the concentration of oxaloacetate in, in the effects of increased mechanical work by the isolated perfused organ during the production or uptake of ketone bodies (Opie, L. H. & Owen, P.) 403–415

Mitochondria, liver and heart, rat, kinetics and specificity towards substrates and inhibitors of the pyruvate carrier of (Halestrap, A. P.) 85–96

Mitochondria, liver and heart, rat, properties of a monocarboxylate transporter of, and its possible function in cell control (Mowbray, J.) 41–47

Mitochondria, liver, fat-cell and heart, rat, specificity and metabolic implications of the inhibition by α-cyano-4-hydroxycinnamate and related compounds of pyruvate transport in (Halestrap, A. P. & Denton, R. M.) 97–106

Mitochondria, liver, rat, effects of butacaine on the binding and translocation of adenine nucleotides in (Fayle, D. R. H., Barritt, G. J. & Bygrave, F. L.) 527–531

Mitochondria, liver, rat, essentiality of ubiquinone for the oxidation of choline by (Barrett, M. C. & Dawson, A. P.) 595–597

Mitochondria, liver, rat, whole and disrupted, interaction of 8-anilinonaphthalene-1-sulphonate with, and a re-evaluation of the use of double-reciprocal plots in the derivation of binding parameters for fluorescent probes binding to mitochondrial membranes (Gains, N. & Dawson, A. P.) 157–160

Monocarboxylate transporter, mitochondrial, liver and heart, rat, properties of, and its possible function in cell control (Mowbray, J.) 41–47

Moraxella sp. N.C.I.B. 11086, evidence for a reductive pathway in the metabolism of benzoate by, through anaerobic nitrate respiration (Williams, R. J. & Evans, W. C.) 1–10

Morphine, comparison of the effects of acute and chronic administration of nicotine hydrogen (+)-tartrate on the activity of tryptophan pyrrolase in rat liver with those of ethanol, phenobarbitone and (Badawy, A. A.-B. & Evans, M.) 425–432

Mucus, structure and metabolism of glycoproteins and glycosaminoglycans of, secreted by organ cultures of rabbit trachea (Gallagher, J. T. & Kent, P. W.) 187–196

Muscle, diaphragm, rat, isolated, regulation of the oxidation of branched-chain amino acids in, sciatic nerve and aorta (Buse, M. G., Jursinic, S. & Reid, S. S.) 363–374

Muscle, flight, Japanese-beetle, nature and control of the tricarboxylic acid cycle in (Hansford, R. G. & Johnson, R. N.) 389–401

Muscle, skeletal, rat, turnover of carnitine in, and other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445

Myelin, brain, rat, content of sialic acid in crude fractions of, and evidence that it is due to contamination by non-myelin membranes (Langley, O. K.) 375–380

Nerve, sciatic, rat, isolated, regulation of the oxidation of branched-chain amino acids in, diaphragm muscle and aorta (Buse, M. G., Jursinic, S. & Reid, S. S.) 363–374

Neurohypophysis, ox, isolation and protein composition of neurosecretory-vesicle membranes and plasma membranes from (Vilhardt, H., Baker, R. V. & Hope, D. B.) 57–65

Neurosecretory vesicles, posterior-pituitary-gland, ox, isolation and protein composition of membranes from, and of the plasma membranes (Vilhardt, H., Baker, R. V. & Hope, D. B.) 57–65

Neurotransmitter substances, stimulation by, of the net activity of phospholipase A2 of synaptic membranes of guinea-pig cerebral cortex (Gullis, R. J. & Rowe, C. E.) 197–208

Neurotransmitters, stimulation by, of the incorporation of oleate into the phospholipids of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 557–565

Nicotinamide–adenine dinucleotide, free, role of changes in the mitochondrial concentration of oxaloacetate and oxidized/reduced concentration ratio of, in the effects of increased mechanical work by isolated perfused rat heart during the production or uptake of ketone bodies (Opie, L. H. & Owen, P.) 403–415

Nicotinamide–adenine dinucleotide phosphate, reduced, effects of acute and chronic administration of nicotine hydrogen (+)-tartrate on the activity of tryptophan pyrrolase and the concentration of, in rat liver and their comparison with those of morphine, phenobarbitone and ethanol (Badawy, A. A.-B. & Evans, M.) 425–432

Nicotine hydrogen (+)-tartrate, effects of acute and chronic administration of, on the activity of tryptophan pyrrolase in rat liver and their comparison with those of morphine, phenobarbitone and ethanol (Badawy, A. A.-B. & Evans, M.) 425–432

Nitrate, evidence for a reductive pathway in the metabolism of benzoate by *Moraxella* sp. N.C.I.B. 11086 through anaerobic respiration utilizing (Williams, R. J. & Evans, W. C.) 1–10

Nitrate reductase, membrane-bound, biosynthesis and sidedness of, in an *Escherichia coli* mutant lacking cytochromes (Kemp, M. B., Haddock, B. A. & Garland, P. B.) 329–333

Noradrenaline, stimulation by, and other neurotransmitter substances of the net activity of phospholipase A2 of synaptic membranes of guinea-pig cerebral cortex (Gullis, R. J. & Rowe, C. E.) 197–208
Noradrenaline, stimulation by, and other synaptic transmitters of the incorporation of oleate into the phospholipids of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 557–565
Nucleotides, cyclic, stimulation by, of the phospholipase A2–fatty acid uptake system of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 567–581

Oleate, conversion of stearate into, by liver and perigenital adipose tissue from the obese–hyperglycaemic mouse (Enser, M.) 551–555
Oleate, stimulation by cyclic nucleotides of the activity of phospholipase A2 and of the incorporation of, into the phospholipids of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 567–581
Oleate, stimulation by synaptic transmitters of the incorporation of, into the phospholipids of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 557–565
Oligoglycans, formation of, linked to lipid during the biosynthesis of β-glucan by membrane fractions isolated from pea roots (Brett, C. T. & Northcote, D. H.) 107–117
Oxaloacetate, role of changes in the mitochondrial oxidized/reduced concentration ratio of free nicotinamide–adenine dinucleotide and concentration of, in the effects of increased mechanical work by isolated perfused rat heart during the production or uptake of ketone bodies (Opie, L. H. & Owen, P.) 403–415
2-Oxobutyrate, inhibitory effects of, on the oxidation of pyruvate and the biosynthesis of acetylcholine in rat brain minces (Gibson, G. E., Jope, R. & Blass, J. P.) 17–23
2-Oxoglutarate dehydrogenase, deficiency of, in the restricted facultative methylotrophs bacterium spp. W6A and W3A1 and *Bacillus* spp. PM6 and S2A1 (Colby, J. & Zatman, L. J.) 505–511

Palmitoylcarnitine, transport of, and other substrates by a mitochondrial monocarboxylate transporter in rat liver and heart and its possible function in cell control (Mowbray, J.) 41–47
Pancreas, rat and guinea-pig, evidence that the interference by colchicine with the release of insulin by islets of Langerhans is due to inhibition of the polymerization of tubulin-like protein into microtubules (Montague, W., Howell, S. L. & Green, I. C.) 237–243
Parotid gland, rat, relationship of calcium ions to the receptor-controlled stimulation of the turnover of phosphatidylinositol in fragments of (Jones, L. M. & Michell, R. H.) 479–485
Pea (*Pisum sativum*) leaves, evidence that the circularly dichroic forms *a*-682 and *a*-710 of chlorophyll *a* are oriented at right-angles to the thylakoid membranes of whole chloroplasts from, and that the circular dichroism is light-dependent (Gregory, R. P. F.) 487–497
Pea (*Pisum sativum*) roots, formation of oligoglycans linked to lipid during the biosynthesis of β-glucan by membrane fractions isolated from (Brett, C. T. & Northcote, D. H.) 107–117
Pentose phosphate pathway, contribution of, to the metabolism of glucose in rat spleen slices (Suter, D. & Weidemann, M. J.) 583–594
Peroxisome-like particles, *Euglena gracilis*, localization of enzymes of the glycollate pathway in, and mitochondria (Collins, N. & Merrett, M. J.) 321–328
Phaseolus vulgaris, *see* Bean
Phenobarbitone, comparison of the effects of acute and chronic administration of nicotine hydrogen (+)-tartrate on the activity of tryptophan pyrrolase in rat liver with those of ethanol, morphine and (Badawy, A. A.-B. & Evans, M.) 425–432
Phenolphthalein disulphate, use of, as a model for investigation of the biliary excretion of anions in the rat (Powell, G. M., Jones, J. G., Olavesen, A. H. & Curtis, C. G.) 303–307
Phosphatidylinositol, enhanced biosynthesis *de novo* of, in pig mesenteric-lymph-node lymphocytes treated with cationic amphiphilic drugs (Allan, D. & Michell, R. H.) 471–478
Phosphatidylinositol, formation of mannophosphoinositides from, in *Corynebacterium aquaticum* (Hackett, J. A. & Brennan, P. J.) 253–258
Phosphatidylinositol, relationship of calcium ions to the receptor-controlled stimulation of the turnover of, in rat parotid-gland fragments (Jones, L. M. & Michell, R. H.) 479–485
Phosphoenolpyruvate carboxykinase, effects of inhibition of gluconeogenesis at the level of, by infusion of 3-mercaptopicolinate on ketogenesis in starved and streptozotocin-diabetic rats (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 353–362
Phosphoinositides, manno-, metabolism and function of, of *Corynebacterium aquaticum* (Hackett, J. A. & Brennan, P. J.) 253–258
Phospholipase A2, stimulation by cyclic nucleotides of the activity of, and of the incorporation of fatty acids into the phospholipids of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 567–581
Phospholipase A2, stimulation by neurotransmitter substances and putative neurotransmitter substances of the net activity of, of synaptic membranes of guinea-pig cerebral cortex (Gullis, R. J. & Rowe, C. E.) 197–208
Phospholipases, C-type, reactivation by dispersions of phospholipids of rat liver microsomal glucose 6-phosphatase after inhibition by pure and impure preparations of, and protection by ox serum albumin against the inhibition (Cater, B. R., Trivedi, P. & Hallinan, T.) 279–294
Phospholipids, effects of fenfluramine, halofenate and 2-(*p*-chlorophenoxy)isobutyrate and related compounds on the biosynthesis of glycerides and, in rat liver (Brindley, D. N. & Bowley, M.) 461–469
Phospholipids, reactivation by dispersions of, of rat liver microsomal glucose 6-phosphatase after inhibition by pure and impure preparations of C-type phospholipases (Cater, B. R., Trivedi, P. & Hallinan, T.) 279–294

Phospholipids, stimulation by cyclic nucleotides of the activity of phospholipase A2 and of the incorporation of fatty acids into, of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 567–581
Phospholipids, stimulation by synaptic transmitters of the incorporation of oleate into, of guinea-pig brain synaptic membranes (Gullis, R. J. & Rowe, C. E.) 557–565
Photorespiration, role of glycollate metabolism in, in *Euglena gracilis* (Collins, N. & Merrett, M. J.) 321–328
Phytohaemagglutinin, transport of thymidine in pig lymphocytes stimulated by the addition of (Barlow, S. D. & Ord, M. G.) 295–302
Pimelate, identification of, as an intermediate in the aerobic metabolism of cyclohexanecarboxylate by *Acinetobacter anitratum* N.C.I.B. 10487 (Rho, E. M. & Evans, W. C.) 11–15
Pisum sativum, *see* Pea
Pituitary gland, anterior, ox, binding of colchicine to slices of, and inhibition of the release of growth hormone (Sheterline, P., Schofield, J. G. & Mira, F.) 453–459
Pituitary gland, posterior, ox, isolation and protein composition of neurosecretory-vesicle membranes and plasma membranes from (Vilhardt, H., Baker, R. V. & Hope, D. B.) 57–65
Plasma membrane, *see* Membrane, plasma
Plasma, mouse, failure of adrenaline to increase the concentration of glucose in, in young animals after the injection of fructose (Thurston, J. H., Jones, E. M. & Hauhart, R. E.) 149–151
Plastids, development of adenosine triphosphatase activity in, during greening of bean leaves (Gregory, P. & Bradbeer, J. W.) 433–438
Platelets, human, accelerated uptake of 5-hydroxytryptamine by, enriched in sialic acid (Szabados, L., Mester, L., Michal, F. & Born, G. V. R.) 335–336
Polypeptides, association of, including immunoglobulins with the plasma membrane of pig mesenteric-lymph-node lymphocytes (Chavin, S. I., Johnson, S. M. & Holliman, A.) 417–423
Popillia japonica, *see* Japanese beetle
Potassium cyanide, biosynthesis of alternative membrane-bound redox carriers during aerobic growth of *Escherichia coli* in the presence of (Ashcroft, J. R. & Haddock, B. A.) 349–352
Procollagen, biosynthesis and secretion of, by chick-embryo cartilage cells (Harwood, R., Bhalla, A. K., Grant, M. E. & Jackson, D. S.) 129–138
Prolactin, effects of, and other hormones on the turnover of fatty acid synthetase in rabbit mammary gland in organ culture (Speake, B. K., Dils, R. & Mayer, R. J.) 309–320
Proline, oxidation of, via the tricarboxylic acid cycle in Japanese-beetle flight-muscle mitochondria (Hansford, R. G. & Johnson, R. N.) 389–401
Propan-2-ol, effects of single doses of methanol, ethanol or, on the metabolism of foreign compounds by rat liver microsomal fraction (Powis, G.) 269–277
Protein, colchicine-binding, binding of colchicine to, in ox anterior-pituitary-gland slices and inhibition of the release of growth hormone (Sheterline, P., Schofield, J. G. & Mira, F.) 453–459
Protein, dietary, effect of restriction of, on the activity of deoxyribonucleic acid-dependent ribonucleic acid polymerase in rat liver (Andersson, G. M. & von der Decken, A.) 49–56
Protein, early biosynthesis of ribonucleic acid during the germination of rye embryos and its relationship to the early biosynthesis of (Sen, S., Payne, P. I. & Osborne, D. J.) 381–387
Protein, method for the measurement of the turnover of, in plants as exemplified by duckweed (*Lemna minor*) (Humphrey, T. J. & Davies, D. D.) 119–127
Protein, tubulin-like, evidence that the interference by colchicine with the release of insulin by rat and guinea-pig islets of Langerhans is due to inhibition of the polymerization of, into microtubules (Montague, W., Howell, S. L. & Green, I. C.) 237–243
Proteins, association of, including immunoglobulins with the plasma membrane of pig mesenteric-lymph-node lymphocytes (Chavin, S. I., Johnson, S. M. & Holliman, A.) 417–423
Proteins, composition of, of neurosecretory-vesicle membranes and plasma membranes isolated from ox posterior pituitary gland (Vilhardt, H., Baker, R. V. & Hope, D. B.) 57–65
Protons, association of a flux of, with pyruvate transport by rat liver and heart mitochondria (Halestrap, A. P.) 85–96
Pyruvate, association of a proton flux with the transport of, by rat liver and heart mitochondria (Halestrap, A. P.) 85–96
Pyruvate carrier, mitochondrial, liver and heart, rat, kinetics and specificity towards substrates and inhibitors of (Halestrap, A. P.) 85–96
Pyruvate, decreased biosynthesis of acetylcholine accompanying impaired oxidation of, in rat brain minces (Gibson, G. E., Jope, R. & Blass, J. P.) 17–23
Pyruvate dehydrogenase phosphate phosphatase, role of, in the activation by insulin of pyruvate dehydrogenase in rat epididymal adipose tissue (Mukherjee, C. & Jungas, R. L.) 229–235
Pyruvate dehydrogenase, role of pyruvate dehydrogenase phosphate phosphatase in the activation by insulin of, in rat epididymal adipose tissue (Mukherjee, C. & Jungas, R. L.) 229–235
Pyruvate, specificity and metabolic implications of the inhibition by α-cyano-4-hydroxycinnamate and related compounds of the transport of, in isolated mitochondria from various tissues and in intact tissue preparations (Halestrap, A. P. & Denton, R. M.) 97–106
Pyruvate, transport of, and other substrates by a mitochondrial monocarboxylate transporter in rat liver and heart and its possible function in cell control (Mowbray, J.) 41–47

Rana catesbeiana, *see* Frog
Red blood cells, *see* Erythrocytes
Redox carriers, membrane-bound, alternative, biosynthesis of, during aerobic growth of *Escherichia coli* in the presence of potassium cyanide (Ashcroft, J. R. & Haddock, B. A.) 349–352
Reticulum, endoplasmic, cartilage-cell, chick-embryo, role of, in the biosynthesis and secretion of procollagen (Harwood, R., Bhalla, A. K., Grant, M. E. & Jackson, D. S.) 129–138

Ribonuclease, alkaline, activities of, and of ribonuclease inhibitor in rat mammary gland during the lactation cycle and in rat mammary-gland adenocarcinoma R3230AC (Liu, D. K., Williams, G. H. & Fritz, P. J.) 67–76
Ribonuclease inhibitor, activities of alkaline ribonuclease and, in rat mammary gland during the lactation cycle and in rat mammary-gland adenocarcinoma R3230AC (Liu, D. K., Williams, G. H. & Fritz, P. J.) 67–76
Ribonucleic acid, early biosynthesis of, during the germination of rye embryos and its relationship to the early biosynthesis of protein (Sen, S., Payne, P. I. & Osborne, D. J.) 381–387
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, liver, rat, effect of feeding with a protein-restricted diet on the activity of (Andersson, G. M. & von der Decken, A.) 49–56
Ribosomes, liver, rat, inhibition by ricin of the activities of elongation factor 1-dependent and elongation factor 2-dependent guanosine triphosphatases of (Sperti, S., Montanaro, L., Mattioli, A. & Testoni, G.) 447–451
Ribosomes, membrane-bound, cartilage-cell, chick-embryo, biosynthesis of procollagen by (Harwood, R., Bhalla, A. K., Grant, M. E. & Jackson, D. S.) 129–138
Ricin, inhibition by, of the activities of elongation factor 1-dependent and elongation factor 2-dependent guanosine triphosphatases of rat liver ribosomes (Sperti, S., Montanaro, L., Mattioli, A. & Testoni, G.) 447–451
Ricinus communis, *see* Bean, castor
Roots, pea, formation of oligoglycans linked to lipid during the biosynthesis of β-glucan by membrane fractions isolated from (Brett, C. T. & Northcote, D. H.) 107–117
Rye (*Secale cereale*) embryos, early biosynthesis of ribonucleic acid during the germination of, and its relationship to the early biosynthesis of protein (Sen, S., Payne, P. I. & Osborne, D. J.) 381–387

Salivary gland, parotid, rat, relationship of calcium ions to the receptor-controlled stimulation of the turnover of phosphatidylinositol in fragments of (Jones, L. M. & Michell, R. H.) 479–485
Sciatic nerve, *see* Nerve, sciatic
Secale cereale, *see* Rye
Seeds, castor-bean, germinating, breakdown of lipid reserves in (Marriott, K. M. & Northcote, D. H.) 139–144
Serotonin, *see* 5-Hydroxytryptamine
Serum albumin, *see* Albumin, serum
Sialic acid, accelerated uptake of 5-hydroxytryptamine by human platelets enriched in (Szabados, L., Mester, L., Michal, F. & Born, G. V. R.) 335–336
Sialic acid, content of, in crude fractions of rat brain myelin and evidence that it is due to contamination by non-myelin membranes (Langley, O. K.) 375–380
Skeletal muscle, *see* Muscle, skeletal
Skin fibroblasts, human, stimulation by amyloid fibrils of the biosynthesis of glycosaminoglycans by (Palmoski, M. J. & Brandt, K. D.) 145–147
Slime mould (*Dictyostelium discoideum*), rates of accumulation of the activities of glycosidases during growth and differentiation of (Every, D. & Ashworth, J. M.) 161–167
Slime mould (*Dictyostelium discoideum*), rates of biosynthesis *de novo* and degradation of glycosidases during growth and differentiation of (Every, D. & Ashworth, J. M.) 169–177
Soil, aerobic metabolism of cyclohexanecarboxylate by *Acinetobacter anitratum* N.C.I.B. 10487 isolated from (Rho, E. M. & Evans, W. C.) 11–15
Soil, evidence for a reductive pathway in the metabolism of benzoate by *Moraxella* sp. N.C.I.B. 11086 isolated from, through anaerobic nitrate respiration (Williams, R. J. & Evans, W. C.) 1–10
Somatotrophin, *see* Growth hormone
Spleen, rat, quantitative aspects of the oxidation of glucose by slices of (Suter, D. & Weidemann, M. J.) 583–594
Spleen, rat, turnover of carnitine in, and other tissues (Brooks, D. E. & McIntosh, J. E. A.) 439–445
Spores, *Bacillus cereus* T, inactivation of glucose 6-phosphate dehydrogenase during germination and outgrowth of (Orlowski, M. & Goldman, M.) 259–268
Starvation, effect of, on the biosynthesis of ubiquinone in the rat (Ranganathan, S. & Ramasarma, T.) 35–39
Starvation, effects of inhibition of gluconeogenesis on ketogenesis in rats during (Blackshear, P. J., Holloway, P. A. H. & Alberti, K. G. M. M.) 353–362
Stearate desaturase pathway, microsomal, liver, rat, effects of halothane on a cyanide-sensitive factor of (Berman, M. C., Ivanetich, K. M. & Kench, J. E.) 179–186
Stearate, desaturation of, by liver and perigenital adipose tissue from the obese–hyperglycaemic mouse (Enser, M.) 551–555
Steroids, investigation of the involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by adrenocorticotrophin of the biosynthesis of, by using column perfusion of isolated rat adrenal-gland cells (Hudson, A. M. & McMartin, C.) 539–544
Streptozotocin-diabetes, *see* Diabetes, streptozotocin-
Submitochondrial particles, heart, ox, simple and rapid method for the preparation of adenosine triphosphatase from (Beechey, R. B., Hubbard, S. A., Linnett, P. E., Mitchell, A. D. & Munn, E. A.) 533–537
Synaptic membrane, *see* Membrane, synaptic

2-Thiouracil, effects of modification of thyroid function by the administration of powdered thyroid gland or, on the biosynthesis and 7α-hydroxylation of cholesterol in rat liver (Takeuchi, N., Ito, M., Uchida, K. & Yamamura, Y.) 499–503
Thylakoid membrane, *see* Membrane, thylakoid
Thymidine kinase, stimulation by phytohaemagglutinin of the activity of, in pig lymphocytes (Barlow, S. D. & Ord, M. G.) 295–302
Thymidine, transport of, in phytohaemagglutinin-stimulated pig lymphocytes (Barlow, S. D. & Ord, M. G.) 295–302
Thyroid gland, powdered, effects of modification of thyroid function by the administration of 2-thiouracil or, on the biosynthesis and 7α-hydroxylation of cholesterol in rat liver (Takeuchi, N., Ito, M., Uchida, K. & Yamamura, Y.) 499–503
Trachea, rabbit, structure and metabolism of glycoproteins and glycosaminoglycans secreted by organ cultures of (Gallagher, J. T. & Kent, P. W.) 187–196

Transferrin, removal of iron from, by a cell-free system prepared from frog immature erythrocytes (James, G. T. & Frieden, E.) 341–343
Tricarboxylic acid cycle, activities of enzymes of, in the restricted facultative methylotrophs bacterium spp. W6A and W3A1 and *Bacillus* spp. PM6 and S2A1 (Colby, J. & Zatman, L. J.) 505–511
Tricarboxylic acid cycle, nature and control of, in Japanese-beetle flight muscle (Hansford, R. G. & Johnson, R. N.) 389–401
Triglycerides, breakdown of, and other lipid reserves in castor-bean endosperm during germination (Marriott, K. M. & Northcote, D. H.) 139–144
Trimethylamine, activities of enzymes of the tricarboxylic acid cycle in the restricted facultative methylotrophs bacterium spp. W6A and W3A1 and *Bacillus* spp. PM6 and S2A1 grown on (Colby, J. & Zatman, L. J.) 505–511
Trimethylamine, enzymological aspects of the pathways for the oxidation of, and assimilation of C_1 compounds in the obligate methylotrophs bacterium spp. 4B6 and C2A1 and in the restricted facultative methylotrophs bacterium spp. W6A and W3A1 and *Bacillus* spp. PM6 and S2A1 (Colby, J. & Zatman, L. J.) 513–520
Tritium isotope (^3H), use of a short exposure to growth medium containing water labelled with, in a method for the measurement of protein turnover in plants as exemplified by duckweed (*Lemna minor*) (Humphrey, T. J. & Davies, D. D.) 119–127
Tryptophan pyrrolase, effects of acute and chronic administration of nicotine hydrogen (+)-tartrate on the activity of, in rat liver and their comparison with those of morphine, phenobarbitone and ethanol (Badawy, A. A.-B. & Evans, M.) 425–432
Tubulin, binding of colchicine to, in ox anterior-pituitary-gland slices and inhibition of the release of growth hormone (Sheterline, P., Schofield, J. G. & Mira, F.) 453–459
Tubulin-like protein, evidence that the interference by colchicine with the release of insulin by rat and guinea-pig islets of Langerhans is due to inhibition of the polymerization of, into microtubules (Montague, W., Howell, S. L. & Green, I. C.) 237–243
Tumour R3230AC, mammary-gland, rat, activities of alkaline ribonuclease and of ribonuclease inhibitor in rat mammary gland during the lactation cycle and in (Liu, D. K., Williams, G. H. & Fritz, P. J.) 67–76

Ubiquinone, essentiality of, for the oxidation of choline by rat liver mitochondria (Barrett, M. C. & Dawson, A. P.) 595–597
Ubiquinone, regulation of the biosynthesis of, in the rat (Ranganathan, S. & Ramasarma, T.) 35–39
Urate, effects of adenosine monophosphate and guanosine monophosphate on the biosynthesis of, *de novo* by isolated chick liver and kidney cells (Badenoch-Jones, P. & Buttery, P. J.) 599–601
Urine, identification of metabolites of salts of hexadecyl sulphate in, of the rat, the dog and the human (Merits, I.) 219–228

Valine, regulation of the oxidation of leucine, isoleucine and, in isolated rat diaphragm muscle, sciatic nerve and aorta (Buse, M. G., Jursinic, S. & Reid, S. S.) 363–374

[^3H]Water, use of a short exposure to growth medium containing, in a method for the measurement of protein turnover in plants as exemplified by duckweed (*Lemna minor*) (Humphrey, T. J. & Davies, D. D.) 119–127

D-Xylose, effect of, on the biosynthesis of chondroitin sulphate in chick-embryo cartilage *in vitro* (Robinson, H. C., Brett, M. J., Tralaggan, P. J., Lowther, D. A. & Okayama, M.) 25–34
β-D-Xylosides, effect of, on the biosynthesis of chondroitin sulphate in chick-embryo cartilage *in vitro* (Robinson, H. C., Brett, M. J., Tralaggan, P. J., Lowther, D. A. & Okayama, M.) 25–34